Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



FEB 26 1965

CURRENT SERIAL RECORDS

WATER SUPPLY OUTLOOK

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS for UTAH

UNITED STATES DEPARTMENT of AGRICULTURE...SOIL CONSERVATION SERVICE, and STATE ENGINEER of UTAH

In cooperation with U.S. Forest Service, Bureau of Reclamation, Utah Fish and Game Dept., Utah Agricultural Experiment Station, J.S. National Park Service, U.S. Geological Survey; and other Federal, State, and private organizations.

IIIIIIIII AS OF IIIIIIIIII FEB. 1, 1965

UNITED STATES DEPARTMENT OF AGRICULTURE - SOIL CONSERVATION SERVICE

To Recipients of Water Supply Outlook Reports:

The climate of the cultivated and populated areas of the West is characterized by relatively dry summer months. Such precipitation as occurs falls mostly in the winter and early spring months when it is of little immediate benefit to growing crops. Most of this precipitation falls as mountain snow which stays on the ground for months, melting later to sustain streamflow during the period of greatest demand during late spring and summer. Thus, nature provides in mountain snow an imposing water storage facility.

The amount of water stored in mountain snow varies from place to place as well as from year to year and accordingly, so does the runoff of the streams. The best seasonal management of variable western water supplies results from advance estimates of the streamflow.

A snow survey consists of a series of about ten samples taken with specially designed snow sampling equipment along a permanently marked line, up to 1000 feet in length, called a snow course. The use of snow sampling equipment provides snow depth and water equivalent values for each sampling point. The average of these values is reported as the snow survey measurement for a snow course.

Snow surveys are made monthly or semi-monthly beginning in January or February and continue through the snow season until April, May or June. Currently more than 1400 western snow courses are measured each year. These measurements furnish the key data for water supply forecasts.

Streamflow forecasts are obtained by a comparison of total or maximum snow accumulation, as measured by snow water equivalent, to the subsequent spring and summer or snowmelt season runoff over a period of years. The snow water equivalent measured in selected snow courses provides most of the index to the streamflow forecast for the following season. More accurate forecasts are usually obtained when other factors such as soil moisture, base flow and spring precipitation are considered and included in the forecast procedure. Early season forecasts assume average climatic conditions through the snowmelt season.

Listed below are the Federal-State-Private Cooperative Snow Survey and Water Supply Forecast reports available for the West which contain detailed information on snow survey measurements, streamflow forecasts, reservoir storage, soil moisture and other guide data to water management and conservation decisions. Soil Conservation Service Reports may be secured from Soil:Conservation Service, 511 N.W. Broadway - Room 507, Portland, Oregon 97209.

PUBLISHED BY SOIL CONSERVATION SERVICE

REPORTS	ISSUED	LOCATION	COOPERATING WITH
RIVER BASINS			
WESTERN UNITED STATES	MONTHLY (FEBMAY)	PORTLAND, OREGON	ALL COOPERATORS
BASIC DATA SUMMARY	OCTOBER 1	PORTLANO, OREGON	ALL COOPERATORS
STATES			
ALASKA	MONTHLY (MARMAY)	PALMER, ALASKA	ALASKA S.C.D.
AR I ZON A	SEMI-MONTHLY (JAN.15 - APR.1)		SALT R. VALLEY WATER USERS ASSOC. ARIZ. AGR. EXP. STATION
Colorado ano New México	MONTHLY (FEBMAY)	_ FORT COLLINS. COLORAGO_	- COLO. STATE UNIVERSITY COLO. STATE ENGINEER N. MEX. STATE ENGINEER
IDAHO	MONTHLY (JANJUNE).	BOISE, IDAHO	_ IDAHO STATE RECLAMATION ENGINEER
MONTANA	MONTHLY (JANJUNE)-	BOZEMAN, MONTANA	MONT. AGR. EXP. STATION
NEVAOA	MONTHLY (JANMAY)	RENO, NEVADA	NEVAGA DEPT. OF CONSERVATION AND NATURAL RESOURCES - DIVISION OF WATER RESOURCES
OREGON	MONTHLY (JANJUNE)_	PORTLANO, OREGON	OREG. STATE UNIVERSITY OREGON STATE ENGINEER
UTAH	MONTHLY (JANJUNE)_	SALT LAKE CITY, UTAH	UTAH STATE ENGINEER
WASHINGTON	MONTHLY (FEB JUNE).	→ SPOKANE. WASHINGTON	WN. STATE DEPT. OF CONSERVATION
WYOMING	MONTHLY (FEBJUNE)	CASPER. WYOMING	_ WYOMING STATE ENGINEER
	PUBLISHED E	BY OTHER AGENCIES	
REPORTS	ISSUED		AGENCY
BRITISH COLUMBIA	MONTHLY (FEBJUNE)_	WATER RESOURCE FOREST AND WATER VICTORIA, B.C.,	S SERVICE, DEPT. OF LANOS, RESOURCES, PARLIAMENT BLDG., CANADA
CALIFORNIA	MONTHLY (FEBMAY)	CALIF. DEPT. OF	WATER RESOURCES, P.O. Box 388,

SACRAMENTO, CALIF.

WATER SUPPLY OUTLOOK

FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS for UTAH

FEBRUARY 1, 1965

Report prepared by

GREGORY L. PEARSON - GARRY DINSDALE and

Patricia Paramore

SOIL CONSERVATION SERVICE SNOW SURVEY SECTION FEDERAL BLDG., ROOM 4012 SALT LAKE CITY UTAH 84111

Issued by

WAYNE D. CRIDDLE

STATE ENGINEER

STATE OF UTAH

SALT LAKE CITY, UTAH

J.A. LIBBY

STATE CONSERVATIONIST

SOIL CONSERVATION SERVICE

SALT LAKE CITY, UTAH


DR. D.W. THORNE
DIRECTOR
UTAH AGRICULTURAL
EXPERIMENT STATION
LOGAN, UTAH



PROSPECTIVE WATER SUPPLIES

Based on Snow Surveys Made on UTAH and BEAR RIVER WATERSHEDS







WATER SUPPLY OUTLOOK

as of FEBRUARY 5, 1965

Except for an area along the Wasatch Front from about Ogden northward into Idaho and extending eastward to the headwaters of the Weber and Provo rivers, January storms left less than average snowpack accumulations for the month. In the northern area, however, snowfall for the month generally varied from about 130% to near 200% of usual amounts.

The net effect of last month's storms on water supply prospects for next summer still leaves a fair outlook for the upper Sevier, Virgin and Beaver rivers and adjacent smaller streams. Here most streamflow forecasts range between about 75% to average amounts. The outlook is good to excellent for all streams from Loa to Salina and northward into Idaho and Wyoming. Forecasts for these streams vary from about 120% to 195% of average.

In the Uinta Basin, January snowfall was particularly light in the mountains from Moon Lake eastward to the Flaming Gorge reservoir area. Here the monthly snowpack accumulation varied from about 15% to 50% of average. In the western and southern parts of the Basin on the Duchesne and Strawberry rivers, snowfall was heavier, ranging from 70% to about average. This was also true for streams from the Richfield area northward to the southern tributaries to Utah Lake.

Snowfall for the month on the Upper Sevier, Virgin and Beaver rivers was 35% to 80% of average.

Highest forecasts in the state, in relation to average, are for Parley's Creek near Salt Lake and East Canyon Creek near Morgan. Both of these are forecast at 195%.

Streams having forecasts between 150% and 170% of average include the Bear river at Woodruff and Randolph, Lost Creek near Croydon, Chalk Creek at Coalville, Weber river near Coalville, Strawberry at Duchesne, Price river near Heiner and Muddy Creek near Emery.



WATER SUPPLY OUTLOOK (continued)

Inflow to Utah Lake is forecast at 117%. Streams from Ashley Creek near Vernal to Lakefork river below Moon Lake have forecasts ranging from 93% to 120%. Except as noted above, forecasts for all other streams in central and northern Utah lie between 120% and 150% of average. This includes the tributaries of the San Pitch and San Rafael rivers and extends southward across Salina Creek, the headwaters of the Fremont river and Otter Creek north of Koosharem.

If snowfall during February and March is average, there are several areas where the April 1st snowpack will approach or exceed previous records. Several examples are as follows: At Trial Lake(Elev. 9800 Ft.) on the headwaters of the Provo river, average snowfall would make the April 1st reading equal 39.9 inches of water. This compares with the maximum reading of 39.3 inches recorded in 1952. The average April 1st snow water is 28.0 inches. The Silver Lake snow course at Brighton near Salt Lake with an expected reading of 37.9 inches of water will be just under the 1952 record of 38.2 inches. A similar snowpack condition exists at the high elevation courses on the Logan and Ogden rivers. The lower elevation snow cover is generally less, however, due to the warm weather and rains experienced this winter. For example, the Ben Lomond Peak snow course (Elev. 8,000 ft.) on the Ogden river has 152% of average for February 1 while the Ben Lomond lower snow course(Elev. 5850 ft.) is 111%.

Since there is still another 40 to 45% of the average season's snowpack yet to come during February and March, a considerable change may yet take place in the water supply picture for next summer. However, in the areas of highest streamflow prospects, it is not too early to begin taking precautionary measures for handling the runoff during the high snowmelt period, so that any damage that might occur will be held to a minimum.



FORECAST POINT	FORECAST THIS YEAR	FORECAST PERIOD	LAST YEAR	AVERAGE $oldsymbol{b}$	THIS YEAR AS PERCENT OF AVERAGE
----------------	-----------------------	--------------------	--------------	------------------------	---------------------------------------

G	REAT BAS	IN			
BEAR RIVER SYSTEM					
Bear nr Ut-Wyo. State Line Bear nr Woodruff Woodruff Crk nr Woodruff, Utah Big Crk nr Randolph, Ut. Bear nr Randolph Smith's Fork nr Border, Wyo. Bear at Harer, Idaho Little Bear nr Paradise (2) Logan nr Logan (3) Blacksmith Fork nr Hyrum (4)	160 180 24 12 160 173 465 53 190 80	Apr-Sept	123 148 15.8 3.9 107 123 289 42 123 49	115 117 17.6* 8.6* 94 112 258 42 133 63	139 154 136 140 170 154 180 126 143
WEBER-OGDEN RIVERS					
Weber nr Oakley Wanship Reservoir Inflow (5) Weber nr Coalville (6) Chalk Crk at Coalville Lost Crk nr Croydon, Ut. East Canyon Crk nr Morgan (7) So Fork Ogden nr Huntsville Pineview Reservoir Inflow (8)	140 173 175 200 60 30 50 88 180	Apr-June Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-July	105 124 115	100 123 117* 128 36 18.1 25.6 62 129	140 141 150 156 167 166 195 142 140
PROVO RIVER & UTAH LAKE					
Strawberry Reservoir Inflow(9) Spanish Fork at Thistle Payson Creek nr Payson Hobble Crk nr Springville Provo nr Hailstone (10) Frovo at Vivian Park (11) American Fork nr American Fork Utah Lake Inflow	65 53 9.3 27 155 215 40 330	Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept		50 40 7.3* 21.2 109 * 144 33 282	130 132 127 127 142 149 121
JORDAN RIVER & SALT LAKE					
Little Cottonwood Crk nr SLC Big Cottonwood nr SLC Parley's Crk nr SLC	46 47 26	Apr-Sept Apr-Sept Apr-Sept	41 43 16.2	38 39 13.3	121 121 195

⁽¹⁾ Measured flow plus change in storage in Woodruff Narrows Reservoir. (2) Measured flow plus change in storage in Porcupine Reservoir. (3) Includes U.P.& L. Co. tailrace and Logan, Hyde Park & Smithfield Canal. (4) Above Utah Power & Light Company's dam. (5) Observed flow Weber River near Wanship, Utah, plus change in storage in Wanship Reservoir, plus diversion by Weber-Provo Canal. (6) Includes diversion by Weber-Provo Canal and change in storage in Wanship Reservoir. (7) Observed flow plus change in storage in East Canyon Reservoir. (8) Inflow record as computed by U.S. Bureau of Reclamation. (9) Change in storage plus diversion thru Strawberry tunnel. (10) Observed flow minus diversions thru Duchesne tunnel and Weber-Provo Canal. (11) Observed flow plus change in storage in Deer Creek reservoir, minus diversions thru Duchesne tunnel & Weber-Provo Canal, plus diversion thru Salt Lake Aqueduct.



UTAH STREAMFLOW FORECASTS a (1,000 Ac. Ft.)

Ashley Creek nr Vernal

UTAH STREAMFLOW FORECASTS a (1,000 Ac. Ft.)					
FORECAST POINT	FORECAST THIS YEAR	1	LAST YEAR	AVERAGE b	THIS YEAR AS PERCENT OF AVERAGE
SEVIER RIVER					
Sevier at Hatch	33 48	Apr-June	25.4 35	32 45	103 107
Sevier nr Circleville	38	Apr-Sept Apr-Sept	24.1	45 40*	95
Sevier nr Kingston	19	Apr-June	10.5	21.0	90
East Fork Sevier nr Kingston(12)	23 11 15	Apr-Sept Apr-June Apr-Sept	11.9	25.5 15.8 19.8	94 70 76
Sevier below Piute Dam(13)	39	Apr-Sept		45	87
Clear Crk nr Sevier(abv.Div.) Inflow	12	Apr-June		12.9*	93
Kingston to Vermillion Dam	36	Apr-June		39 50	92
Vermillion Dam to Gunnison Salina Crk at Salina(14)	64 1 <i>5</i>	Mar-June Apr-June		59 8.3*	108 181
Sevier nr Gunnison	50	Apr-Sept	32	55	91
SAN PITCH RIVER					
Pleasant Crk nr Mt. Pleasant	12	Apr-Sept		9.7*	124
Twin Crk nr Mt. Pleasant	5.8	Apr-Sept	- -	4.7%	123
Ephraim Creek nr Ephraim	20	Apr-Sept		15.2	132
BEAVER RIVER					
Beaver nr Beaver		Apr-June	14.4	18.0	97
Rockyford Reservoir Inflow(15)	23 5	Apr-Sept Apr-June	20.5 - -	24.3 7.7	95 65
COAL CREEK					
Coal Crk nr Cedar City	14	Apr-Sept		16.0	88
COLORAD	O RIVER	BASIN			
GREEN RIVER TRIBUTARIES IN UTAH					
FLAMING GORGE TO DUCHESNE RIVER					
Henry's Fork at Linwood	40	Apr-Sept		34	118

Apr-Sept

52

56

93

⁽¹²⁾ Observed flow plus change in storage in Otter Creek Reservoir. (13) Observed flow plus change in storage in Otter Crk & Piute Reservoirs. (14) Gage is below diversions near Salina. (15) Observed flow at Rockyford Dam, corrected for change in storage in Rockyford Reservoir. (16) Observed flow plus diversion through Duchesne Tunnel.



UTAH STREAMFLOW FORECASTS a (1,000 Ac. Ft.))				THE YEAR
FORECAST POINT	FORECAST THIS YEAR	FORECAST PERIOD	LAST YEAR	AVERAGE b	THIS YEAR AS PERCENT OF AVERAGE
DUCHESNE RIVER					
Duchesne at Provo River (Trail nr Hanna) Duchesne nr Tabiona (16) Rock Crk nr Mtn. Home Strawberry at Duchesne Lakefork below Moon Lake(17) Yellowstone nr Altonah Uinta nr Neola Whiterocks nr Whiterocks	55 164 125 110 86 86 114 65	Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept Apr-Sept		35* 114 102 72 72 73 95 63	157 144 123 153 119 118 120 103
PRICE RIVER					
Gooseberry Crk nr Scofield Scofield Reservoir Inflow(18) Price nr Heiner (18)	15 55 107	Apr-Sept Apr-Sept Apr-Sept		11.9 37 68	1 26 1 49 1 57
SAN RAFAEL RIVER					
Huntington Crk nr Huntington Cottonwood Crk nr Orangeville Ferron Crk nr Ferron	79 80 60	Apr-Sept Apr-Sept Apr-Sept	 	56 55 42	141 145 143
MUDDY RIVER					
Muddy Creek nr Emery	35	Apr-Sept		22.8*	153
VIRGIN RIVER					
Virgin at Virgin	35	Apr-June	37	43	81
UPPER COLORADO BASIN					
Colorado nr Cisco, Utah Flaming Gorge Inflow(19) Green at Green River, Utah(19) San Juan nr Bluff, Utah(20) Lake Powell Inflow(8)	5200 1650 4650 1650 9600	Apr-Sept Apr-July Apr-Sept Apr-Sept Apr-July	2525 1180 2875 644 5483	3789 1129 3368 1172 7692	137 146 138 141 125

GENERAL FOOTNOTES

⁽¹⁷⁾ Observed flow plus change in storage in Moon Lake Reservoir. (18) Observed flow plus change in storage in Scofield Reservoir. (19) Observed flow plus change in storage in Flaming Gorge and Big Sandy Reservoirs. (20) Observed flow plus change in storage in Navajo Reservoir. (21) Observed flow at Lee's Ferry plus change in storage in Flaming Gorge, Navajo, Lake Powell and Big Sandy.

⁽a) Runoff forecasts are based principally on mountain snow cover and on the assumption that precipitation and temperature will be near average from the present time to the end of the forecast period. Appreciable deviations from normal of temperature and/or precipitation will correspondingly modify these forecasts. The discharge data is taken from preliminary records of the U.S. Geological Survey. (b) 1948-62, 15 year period. *Partly estimated.



BASIN or STREAM	RESERVOIR	USABLE	MEASURED (FIRST OF MONTH)				
		CAPACITY	THIS YEAR	LAST YEAR	AVERAGE	ı	

GREAT BASIN

Bear River	Bear Lake Woodruff Narrows	1421.0 26.5	905.7 17.2	709.3 12.9	883.7
<u>Little Bear</u>	Hyrum Porcupine	15.3 11.3	6.7 2.2	13.4	10.1
0g d en	Pineview	110.0	71.4	53.6	8.9
Weber	Rockport Echo East Canyon Willard Bay	59.1 73.9 28.7 215.0	42.4 50.7 0.0 52.0	25.9 34.7 18.9	15.1* 26.8 12.4
Provo	Deer Creek	149.7	118.3	99.0	91.4
Spanish Fork	Strawberry	270.0	61.5	53.1	133.0
Utah Lake	Utah Lake (b)	1149.0	403.0	261.9	542.6
Sevier River	Otter Creek Piute Sevier Bridge	52.5 74.0 236.0	15.1 24.8 41.3	13.4 18.3 36.6	23.3 31.7 92.2
Beaver River	Rocky Ford	23.3	6.9	5.9	10.7
	COLORADO RIVE	R DRAINAGE			
Ashley Creek	Steinaker	33.3	14.1	13.1	
Lake Fork	Moon Lake	35.8	10.0	19.0	13.0
Price River	Scofield	65.8	13.0	10.0	18.5
Green	Flaming Gorge	3789.0 d	968.7	893.2	
<u>San Juan</u>	Navajo	1709.0 d	329.8	332.0	
Colorado	Lake Powell	27000.0 d	6197.0	3113.0	

^{* -} Average for 1957-62 inclusive.

All data contained in this table supplied by the U.S. Geological Survey.

⁽a) 1948-62 average. (b) Active capacity taken at 3.1 feet above compromendation. (c) Partly estimated.

⁽d) Total capacity reported.



RIVER BASIN or TRIBUTARY WATERSHED	NO. of COURSES	THIS YEARS SNOW WATER	EXPRESSED AS PERCENT OF :
RIVER BASIN OF TRIBUTART WATERSHED	AVERAGE	LAST YEAR	AVERAGE *

	GREAT BASIN		
Smith's Fork-Bear River(Wyo) Mink Creek - Cub River Logan River Blacksmith Fork Malad River(Idaho) Ogden River Weber River above Echo Dam Chalk Creek - Coalville East Canyon Creek Farmington Creek Salt Lake Area Tooele Area American Fork River Provo River above Vivian Park Strawberry Reservoir Valley Spanish Fork River Mt. Nebo Area Sevier River above Panguitch East Fork Sevier River Salina Creek San Pitch River Veaver River Coal Creek-Cedar City	4 3 3 6 2 5 8 2 3 -4 1 2 7 3 4 2 3 4 2 4 3 3 3	183 168 176 154 140 160 248 220 218 218 137 201 255 263 212 175 258 178 178 178 178 221 302 188	202 166 150 134 182 138 172 178 171
	COLORADO RIVER BASIN		
Duchesne-Strawberry Rivers Lakefork River Whiterocks-Uintah Rivers Price River San Rafael Tributaries Escalante River Virgin River	5 3 3 5 6 2 4	337 336 348 362 418 133 240	164 160 124 158 191 70 103



GREAT BASIN DRAINAGE

UPPER BEAR RIVER (Above Harer, Idaho)							
Big Park CCC Camp x Monte Cristo R.S. Piney LaBarge x Salt River Summit x Trial Lake x	10G11 10G7 11H12 10G10 10G8 10J8	8700 7500 8960 8820 7900 9800	2/3 1/28 2/4 2/1 1/28 1/29	73 49 72 86 60 92	25.0 13.4 25.0 28.5 16.6 28.4	12.6 8.0 11.5 13.8 10.3 10.4	10.3* 7.8 16.0* 12.4* 10.2* 16.5*
LOWER BEAR RIVER (Below Harer, Idaho)							
Beaver Crk-Skunk Crk. x Christensen Ranch Cub River R.S. Dry Basin A Dry Bread Pond x Dry Creek Flat Emigrant Summit Garden City Summit Horseshoe Basin A Klondike Narrows Liberty Spring Monte Cristo R.S. Oxford Mountain Steep Hollow #1 Steep Hollow #2 Strawberry Creek Strawberry Mink Divide Tony Grove R.S. Willow Flat	11H14 11G11 11G12 11G13 11H13 12G4 11G6 11H7 11G14 11H1 11G15 11H12 12G3 11H27 11H28 11G9 11G10 11H3 11G4	7150 5600 5400 7900 8230 6350 7700 7600 8000 7400 8420 8960 6800 7700 5800 6800 6250 6100	1/29 1/28 2/2 1/27 Dela 1/28	45 24 21 yed Rep 60 31 81 57 yed Rep 77 yed Rep 72 46 117 93 35 65 38 42	15.7 8.0 29.4 17.0 port 22.3	6.2 5.9 6.6 16.0 8.7 5.7 13.5 10.6 14.0 11.2 19.4 11.5 19.3 15.1 7.3 12.0 7.4 10.4	8.0* 6.4* 6.5* 11.3* 4.7* 12.5* 13.5* 16.0* 6.2* 23.0* 17.5* 7.7* 13.5* 8.4 9.7*
OGDEN RIVER							
Beaver Crk-Skunk Crk. Ben Lomond(lower) Ben Lomond Peak Ben Lomond Trail Cutler Creek Dry Bread Pond Monte Cristo R.S. Sagebrush Flat	11H14 11H9 11H8 11H30 11H29 11H13 11H12	7150 5850 8000 6000 6780 8230 8960 6300	1/29 2/1 2/1 2/1 2/1 1/29 2/4 1/29	45 33 94 39 70 60 72 18	10.8 11.9 33.5 13.8 26.2 15.7 25.0 3.9	6.2 11.4 19.5 11.9 16.6 8.7 11.5 5.4	8.0* 10.7* 22.0* 11.3* 16.0* 4.2*



			······································				
WEBER RIVER							
Beaver Creek R.S. Chalk Creek #2 Chalk Creek #3 Farmington Canyon(lower) Farmington Canyon(upper) Lamb's Canyon x Parley's Canyon Smt. Silver Lake x Smith & Morehouse Trial Lake x		7500 8000 7500 6950 8000 6600 7500 8725 7600 9800		38 50 31 ayed Re ayed Re 59 64 76 44 92	•	3.7 6.2 4.3 12.1 13.1 7.0 10.2 12.0 5.5 10.4	6.2* 8.5* 4.7* 15.0* 16.8* 9.5* 11.6* 16.0 7.8* 16.5*
PROVO RIVER & UTAH LAKE							
Camp Altamont Clear Creek Ridge #2 Clear Creek Ridge #3 Daniels-Strawberry Smt. East Portal Payson R.S. Rock Bridge Soapstone R.S. South Fork R.S. Strawberry Divide Timpanogos Cave Camp Timpanogos Divide Trial Lake	11J20 11K22 11K23 11J23 11J7 11K1 11K2 11J25 11J19 11J8 11J18 11J18 11J18	7300 8000 6600 8000 7560 8050 6750 7800 6100 8000 5500 8140 9800	1/29 1/27 1/27 1/28 1/29 1/28 1/29 1/28 1/29 1/29 1/29	48 53 32 46 39 46 38 63 24 61 16 67 92	15.4 14.4 8.9 13.2 11.4 14.8 10.9 16.6 5.5 18.8 3.3 24.1 28.4	7.2 6.3 3.3 5.1 3.8 7.8 6.8 4.8 5.4 8.2 3.9 12.8 10.4	11.9 8.9* 5.2* 10.1 8.1 10.5* 7.8* 8.0* 5.9 13.3 2.8 17.6 16.5*
JORDAN RIVER & TOOELE V	ALLEY						
Lamb's Canyon Middle Canyon Mill D South Fork Parley's Canyon Smt. x Silver Lake	11J14 12J3 11J10 11J15 11J16	6600 7000 7400 7500 8725	1/28 1/29 1/29 1/30 1/29	59 35 75 64 76	15.6 11.4 21.1 21.4 26.5	7.0 8.3 9.7 10.2 12.0	9.5* 8.5* 12.0* 11.6* 16.0
UPPER SEVIER RIVER (South of Richfield, Uta	ah)						
Big Flat x Bryce Canyon Duck Creek R.S. Harris Flat R.S. Long Valley Junction x Midway Valley Widtsoe-Escalante Smt. Widtsoe-Escalante #2 Widtsoe-Escalante #3	12L7 12M8 12M4 12M5 12M6 12M2 11M1 11M2	10 290 8000 8560 7700 7500 9800 9500 9500	1/27 1/30 1/27 1/27 1/27 1/29 1/29 1/29	44 17 34 23 11 44 17 23 24	13.1 3.1 10.0 6.2 2.6 13.1 4.4 4.7 5.2	5.0 1.0 3.0 2.2 1.4 8.3 2.9 3.8 4.2	10.6* 3.8* 9.0* 5.7* 3.2* 12.5* 5.1 6.8* 9.3*

CURRENT INFORMATION

SNOW DEPTH

(Inches)

DATE OF

SURVEY

ELEVATION

WATER CONTENT (Inches) PAST RECORD

LAST YEAR

WATER CONTENT (Inches)

AVERAGE a

SNOW

DRAINAGE BASIN and SNOW COURSE

⁽a) 1948-62, 15 year period. (b) Average of all past record. (x) Adjacent drainage. (A) Aerial observation: Water content estimated. * Estimated 1948-62, 15 year average.



INFORMATION

SNOW DEPTH

(Inches)

DATE OF

SURVEY

ELEVATION

WATER

CONTENT

(Inches)

PAST RECORD

LAST YEAR

WATER CONTENT (Inches)

AVERAGE a

SNOW

DRAINAGE BASIN and SNOW

NAME

COURSE



COURSE

DRAINAGE BASIN and SNOW

PAST RECORD

WATER CONTENT (Inches)

CURRENT INFORMATION

SNOW DEPTH

DATE OF

SNOW



DRAINAGE BASIN AND RAIN GAGE LOCATION	ELEVATION	DATE OF READING	MONTH'S PRECIPITATION	1948 - 62 AVERAGE	THIS YEAR	1948-62 P AVERAGE	ERCENT OF	
		NEADING	T NE ON THAT ION	a		а	AVEITAGE	
GREAT BASIN DRAINAGE								
UPPER BEAR RIVER (Above Harer, Idaho)								
Chalk Creek #2* Chalk Creek #3* Monte Cristo #2 Salt River Summit Trial Lake*	8000 7500 8960 7900 9800	1/28 1/28 Delaye 1/28 1/29	 ed Report 3.80 4.25	 3.65 4.50	14.80 12.59 17.85 23.59	10.65 18.10 11.40 15.55	139 156 152	
LOWER BEAR RIVER (Below Harer, Idaho)								
Dry Bread Pond Garden City Summit Klondike Narrows Monte Cristo #2 Tony Grove R.S. Willow Flat	8230 7600 7400 8960 6250 6100	1/29 2/2 2/2 Delaye 2/2	4.89 5.51 9.44 ed Report 7.69	2.90 4.80 	21.17 23.82 36.87 23.43	13.95 11.15 15.00 18.10 15.40	152 214 246	
OGDEN RIVER								
Ben Lomond(lower) Ben Lomond Trail Causey Dam Dry Bread Pond Monte Cristo #2* Sagebrush Flat	5850 6000 5500 8230 8960 6300	2/1 2/1 1/29 1/29 Delaye 1/29	7.63 7.81 2.58 4.89 d Report 2.74	5.92 	26.84 27.38 13.68 21.17	16.30 17.05 13.95 18.10 9.35	165 160 152 164	
WEBER RIVER								
Chalk Creek #2 Chalk Creek #3 Farmington Guard Sta.(1)	8000 7500 7500	•	 d Report	 5.60a	14.80 12.59	10.65 19.00a		
Farmington Rice (1) Parley's Canyon Smt. Silver Lake(Brighton)*(2) Smith & Morehouse Trial Lake*	7000 7500 8725 7600 9800	1/30 1/31 1/27 1/29	d Report 7.28 5.98 2.60 4.25	5.13a 4.05 5.39a 3.60 4.50	23.60 27.00 16.34 23.59	17.12a 13.50 18.37a 11.90 15.55	175	

CURRENT INFORMATION

FROM APPROX. IO/I TO DATE



DRAINAGE BASIN		CURRENT INFORMATION			FROM APP			
AND RAIN GAGE LOCATION	ELEVATION	DATE OF READING	MONTH'S PRECIPITATION	1948 - 62 AVERAGE	THIS YEAR		CENT OF VERAGE	
PROVO RIVER & UTAH LAKE				а		а		
Clear Creek Ridge #2 Daniels-Strawberry Smt. East Portal Ridge Payson R.S. Soapstone R.S. Strawberry ResE.Portal Timpanogos Divide Trial Lake	8000 8000 7800 8050 7800 7606 8200 9800	1/27 1/28 1/29 1/28 1/29 1/29 1/29	3.00 2.96 2.85 4.07 0.80 4.58 4.25	3.50 3.50 3.15 2.24a 5.53a 4.50	14.61 16.72 15.96 15.17 16.81 9.30 21.43 23.59	11.00 11.85 11.65 10.50 7.22a 17.26a 15.55	133 141 130 160 129 124 152	
JORDAN RIVER & TOOELE VALLEY								
Middle Canyon Mt. Dell Dam(2) Parley's Canyon Smt. Silver Lake(Brighton)(2)	7000 5500 7500 8725	1/29 1/31 1/30 1/31	2.94 4.49 7.28 5.98	3.10 2.15a 4.05 5.67a	23.60	11.30 8.26a 13.50 18.37a	140 206 175 147	
SEVIER RIVER ABOVE RICHFIELD								
Big Flat Duck Creek R.S. Webster Flat* Widtsoe-Escalante #3 Widtsoe R.S.	10290 8560 9200 9500 7600	1/27 1/27 1/29 1/29 1/29	 2.60 2.59 1.86 0.58	 3.70 5.00 1.95 0.75a	11.76 10.48 10.47 6.42 1.87	11.20 10.60 12.00 8.20 3.46a	105 99 87 78 54	
SEVIER RIVER BELOW RICHFIELD (Including San Pitch River)								
Farnsworth Lake G.B.R.C. Headquarters(1) G.B.R.C. Meadows(1) G.B.R.C. Oaks(1) Gooseberry R.S. (1) Gooseberry Reservoir* Mammoth R.S. #2* Shingle Mill	9900 8700 10000 7655 7800 8700 8600 6200	1/28 1/29 1/29 1/29 1/28 1/27 1/27	3.35 2.55 3.29 1.70 2.18 3.05 3.45 2.25	3.40a 3.56a 2.14a 1.85 3.60	10.09	11.15 11.16a 12.31a 7.73a 7.65 11.75 11.65 9.05	137 134 142 130 145 135 144 113	
BEAVER RIVER								
Beaver Canyon P.H. (2) Big Flat	7275 10290	1/31 1/27	0.69	2.07a 		5.87a 11.20	83 10 <i>5</i>	
COAL CREEK Webster Flat*	9200	1/29	2.59	5.00	10.47	12.00	87	



PRECIPITATION DATA (Inches)

		CURRENT INFORMATION		ION	FROM APPROX. 10/1 TO DATE			
DRAINAGE BASIN AND RAIN GAGE LOCATION	ELEVATION		MONTH'S PRECIPITATION	1948 - 62 AVERAGE	THIS YEAR	1948-62 PERC	ENT OF	
	COLOR	ADO RIVER	R DRAINAC	E E				
UPPER GREEN RIVER IN UTAH (Tributaries above Flamin								
Burnt Creek	7900	1/29	0.67		6.34			
GREEN RIVER TRIBUTARIES B FLAMING GORGE & DUCHESNE								
Grizzly Ridge	8500	1/29	1.00		8.28			
DUCHESNE RIVER								
Daniels-Strawberry Smt.* East Portal Ridge* Indian Canyon Julius Park Lakefork Mountain Moon Lake Mosby Mountain Paradise Park Soapstone R.S.* Strawberry ResE.Portal* Trial Lake*	8000 7800 9100 9800 10500 8150 9500 10100 7800 7606 9800	1/28 1/29 1/29 1/29 1/28 1/30 1/29 1/29 1/29 1/29	3.00 2.96 2.52 1.07 0.30 1.31 0.80 4.07 0.80 4.25	3.50 3.35 2.40 1.67a 2.60 3.15 2.24a 4.50	16.72 15.96 12.84 9.58 11.77 7.40 9.43 9.95 16.81 9.30 23.59	11.85 10.15 9.45 9.15 5.92a 10.15 10.50 7.22a 15.55	141 126 101 129 125 98 160 129 152	
PRICE RIVER Clear Creek Ridge #2* Gooseberry Reservoir Indian Canyon Mammoth R.S.#2 Mud Creek	8000 8700 9100 8600 8300	1/27 1/27 1/29 1/27 1/29	3.05 2.52 3.45 2.40	 3.60 3.35 3.55 3.15	14.61 15.83 12.84 16.78	11.00 11.75 10.15 11.65 10.30	133 135 126 144 147	
SAN RAFAEL RIVER Buck Flat G.B.R.C. Meadows*(1) Gooseberry Reservoir Red Pine Ridge	9400 10000 8700 9400	1/28 1/29 1/27 1/27	 3.29 3.05 	 3.56a 3.60	16.55 17.46 15.83 18.90	10.15 12.31a 11.75 12.10	163 142 135 156	
FREMONT & ESCALANTE RIVERS								
Farnsworth Lake* Widtsoe-Escalante #3	9900 9500	1/28 1/29	3.35 1.86	3.15 1.95	15.30 6.42	11.15 8.20	137 78	
VIRGIN RIVER Duck Creek R.S. Webster Flat	8560 9200	1/27 1/29	2.60 2.59	3.70 5.00	10.48	10.60 12.00	99 87	

⁽¹⁾ Data supplied by U.S. Forest Service. (2) Data supplied by U.S. Weather Bureau. a - all values estimated except those where symbol "a" occurs. *Adjacent drainage.



Agencies Cooperating in Utah Snow Surveys

U.S. GOVERNMENT AGENCIES

- U.S. Department of Agriculture Soil Conservation Service Forest Service
- U.S. Department of Commerce Weather Bureau
- U.S. Department of Interior
 Bureau of Reclamation
 Geological Survey
 National Park Service

STATE AGENCIES

Utah Agricultural Experiment Station
Utah Fish and Game Department
Utah State Engineer
Bear River Commissioner
Price River Commissioner
Provo River Commissioner
Sevier River Commissioners
Spanish Fork River Commissioner
Utah Lake and Jordan River Commissioner
Utah Water and Power Board

MUNICIPALITIES

Manti Salt Lake City

ORGANIZED PUBLIC AGENCIES

Beaver River Water Users Association
Board of Canal Presidents - Jordan River
Emery Canal and Reservoir Company
Moon Lake Water Users Association
Ogden River Water Users Association
Provo River Water Users Association
Strawberry Water Users Association
Sevier River Water Users Association

PRIVATE AGENCIES

Kaiser Steel Corporation

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE FEDERAL BLDG. -- ROOM 4012 SALT LAKE CITY, UTAH 84111

OFFICIAL BUSINESS

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water supply, hydro-electric power water supply for irrigation, necessary for forecasting generation, navigation, Furnishes the basic data mining and industry "The Conservation of Water begins with the Snow Survey"

POSTAGE AND FEES PAID U. S. DEPARTMENT OF AGRICULTURE

Library - Current Serial Record U.S. Dept. of Agriculture Washington, D. C.